

STANDARD REHABILITATION PROTOCOL

For repair of meniscus tears extending into the avascular region with a post-op brace placed at the time of surgery

Please share this with your physical therapist and contact us if there are any questions

Please share this with your physical therapist and contact us if there are any questions. Initiate 22-35 days POST OPERATIVE TIME — 0-21 days 36-42 7-8 weeks 9-12 weeks 5 months 6-12 Activities of Daily Living Brace use (locked in extension during weight bearing) ~ ~ Walking Showering Bath / Hot tub / Sauna Weight with surgical leg bent ~ ~ Range-of-motion goals 0°-90° 0°-120° Full ROM Patella mobilization ~ ~ ~ ~ Stretching Hamstring Gastric-soleus Iliotibial band Quad Strengthening Active knee extension Quadriceps isometrics ~ ~ Straight leg raises Open-chain strengthening: Knee extension quadriceps 0°-90° Knee flexion hamstrings 0°-90° Multi-hip Hip abduction-adduction Closed-chain chain: Calf raises w/ knee in extension Wall sits Squats Lunges Balance/proprioceptive training Weight-shifting BAPS BBS Mini-trampoline Plyometrics Conditioning Upper body ergometer (optional) Swimming - freestyle Aquatic program Bike (stationary) ~ Stair climbing machine Ski machine Running: straight - ease in SLOWLY Cutting Lateral carioca ~ ~ Figure 8s ~ ~

Full sports at 6-12 months depending on strength